VIEGA GROUP



Prevista Dry urinal element

Model 8560









Prevista Dry urinal element

telescoping water connection, 1300 mm

- for pre-wall mounting please order separately: Prevista Dry fixing set Model 8570.36
- steel
- compatible with all urinal flush plates for Prevista, integration in Prevista Dry Plus

Components

powder-coated frame (40x40), sound protected urinal flushing system installation set, urinal connection fitting made of PP, crossbeam height-adjustable by quick release (holder with measuring tape for alignment), fixing material, extensible lockable feet for height adjustment, water connection R½

Technical data

individual adjustment range 100 mm

Note

Adjustment range relates to the water connection!

Flush plates and accessories: product group WC and urinal flush plates for Prevista!

Not suitable for urinal ceramics with spray head!

Model 8560



MANUALS

Article

СН	W	PU	Article
1300	500	1/12	776 404

CH = Construction height

W = Width

Sticker

СН	W	warehouse labels (box)	warehouse labels (sticker)	Article
1300	500	+ ≚	+ ⊻	776 404

CH = Construction height

W = Width

CAD files



CH W file size Article

1300 500 12.7 MB +

→ 776 404

CH = Construction height

W = Width

Downloads

▶ Declarations of performance (1)



declaration of performance Prevista

declaration of performance

File size: 574.1 kB | File type: PDF

Assembling



User manual Prevista Dry urinal element

Model 8560

Model Number: 8560



User manual Prevista Dry urinal element

Model Number: 8560 | File...

Copyright Notice:

Sanitary and heating systems from Viega are recognized branded products: product quality with system warranty.

Furthermore, liability agreements have been concluded with the ZVSHK (Zentralverband Sanitär Heizung Klima) and the BTGA (Bundesindustrieverband Technische Gebäudeausrüstung e. V.) for Viega branded products. Exceptions: brass threaded fittings and brass tap extensions. The selection of raw materials for high product standards, modern production, the use of auxiliary equipment as well as packaging occurs with due care and attention to reasonable economic and ecological principles. In doing so, Viega products are well known among architects, planners, wholesale traders and specialist companies involved in building services technology. Sales of Viega products are traditionally completed via wholesale specialists.

The Viega quality management system is certified in accordance with DIN EN ISO 9001.

The illustrations and details in this document are not binding. We reserve all rights for technical amendments. All details concerning materials refer to the parts which come into contact with water. All measurements specify mm. PU = packaging units. References on the viega.com website to "Viega", depending on the particular context, refer either to the Viega corporate group, comprising Viega GmbH & Co. KG as well as their direct or indirect subsidiaries, or to the Viega brand. The individual companies of the Viega group are separate and independent legal entities and as such act independently. "Viega" is therefore not necessarily to be interpreted as a reference to a specific company of the Viega group.